

d-Copia 3524MF/3524MFPlus 4023MF/4024MF/4024MFPlus

Ah	nigh	n perf	orm	ance	
mo	no	rang	e for	the	small
off					

The new multifunctional monochrome A4 systems are designed with the needs of small workgroups in mind. Five models are available in this range giving users a choice depending upon their exact requirements:

The **d-Copia 3524MF** is a reliable printer, copier, scanner and fax, providing speeds of up to 35 ppm and resolution of 1200 dpi. It's compact and silent so great for personal use too.

The **d-Copia 3524MF Plus**, features integrated Wi-Fi and a 4.3" colour Touchscreen.

The **d-Copia 4023MF** (without fax) and **d-Copia 4024MF** are ideal for heavier duty volumes with print speeds of up to 40 ppm, a fast warm-up time and time to first copy. It also provides a dual scanner and large toner capacity of up to 7,200 pages.

The **d-Copia 4024MF Plus** provides access to Wi-Fi and a JaWS platform which enables complex demands and professional workflows to be achieved easily.

Mono Multifunctional Digita	al Systems
QUALITY	
COLOUR TOUCH SCREEN *	
DUAL-SCAN **	- F
ECO-FRIENDLY	
NETWORKING	品
MOBILITY	
WI-FI AND WI-FI DIRECT *	?

- * d-Copia 3524MF^{Plus} and 4024MF^{Plus} only
- ** d-Copia 4023MF, 4024MF and 4024MF^{Plus} only



UP TO 35 AND 40 PPM - A4 - MONO

RAM 512 MB; UP TO 1,536 MB

RESOLUTION 1,200 X 1,200 DPI

PAPER CAPACITY UP TO 850 SHEETS WITH TWO OPTIONAL TRAYS

COMPACT DESIGN AND SILENT OPERATION

DUAL-SCANNER FOR 40 PPM MODELS

4.3" TOUCH-SCREEN AND WIRELESS INTERFACE FOR PLUS MODELS

EXCLUSIVE LONG-LIFE COMPONENTS







Dual-scan Document Feeder

Two optional Additional Trays

4023MF/4024MF/4024MFPlus

EFFICIENCY AND CONFIDENTIALITY

All models are equipped with a **powerful 800 MHz controller** able to handle different jobs concurrently without sacrificing speed.

Scanned files can be stored on USB memory devices or sent to email contacts (scan to e-mail), server folders (scan to FTP) or shared folders on PCs (scan to SMB) so can respond quickly to company demands, resulting in improved productivity and the reduction of unnecessary printing.

The number of formats supported is extensive and large quantities of data can be transferred with the aid of high-level data compression function; while PDF encryption helps to protect confidentiality.

PRODUCTIVITY AND ENVIRONMENTAL RESPECT

The touch-screen* operator panel provides intuitive, direct access to all functions, while the JaWS** software development platform (for which memory expansion and SD card are required) allows document flows to be customised, improving productivity and efficiency in the modern office.

Reduced energy consumption, particularly in Sleep mode, long-life components, eco-compatible parts, reduced packaging, pre-installed toner and the use of recycled materials all contribute towards making these systems considerate to the environment.

SPEED AND QUALITY

The **high-resolution of 1,200 x 1,200 dpi** produces images and graphics that are sharp and precise; which is a major advantage when printing drawings and sketches in small scale.

The **Dual-scan Automatic Document Feeder** performs as a single pass operation, so reduces time, increases productivity and reduces the risk of damage to the original. Fewer mechanical movements also mean less wear over time, allowing greater flexibility in the types of paper that can be used.

Wi-Fi AND MOBILE PRINTING

The d-Copia 3524MFPlus and d-Copia 4024MFPlus have integrated **Wi-Fi** allowing connection to wireless devices via an access point and **Wi-Fi Direct** allows direct connection with up to three devices simultaneously.

For all models in this 5-product range, direct (wireless) printing is possible from a mobile device, when connected to the local Wi-Fi network, and directly (when supported by Wi-Fi Direct) from the Olivetti Mobile Print app, compatible with Android, iOS or iOS devices using the AirPrint protocol without the need to install further software.

^{*} d-Copia 3524MFPlus and d-Copia 4024MFPlus only

^{**} d-Copia 4024MFPlus only



4.3" Colour Touch-screen for Plus models



Intuitive, easy-to-use LCD operator panel



Wi-Fi and Wi-Fi Direct

	d-Copia 3524MF	d-Copia 3524MFPLUS	d-Copia 4023MF	d-Copia 4024MF	d-Copia 4024MFPLL
ENERAL					
уре	MFP 4 IN 1	MFP 4 IN 1	MFP 3 IN 1	MFP 4 IN 1	MFP 4 IN 1
echnology	Laser Mono	MIFAINI	MIFSINI	MIFAINI	MIFAINI
mbedded Software Platform	N/A	N/A	N/A	N/A	JaWS
					Up to 40 ppm
peed	Up to 35 ppm	Up to 35 ppm	Up to 40 ppm	Up to 40 ppm	Ор го 40 рргп
rocessor	800 MHz	0.1.			
esolution	300 dpi, 600 dpi, 1,20		F1: 16D	51: 160	(211 C T 1
Control Panel	5 Line LCD	4.3" Colour Touch-screen	5 Line LCD	5 Line LCD	4.3" Colour Touch-scre
Varm-up Time	17 secs or less	20 secs or less	17 secs or less	17 secs or less	20 secs or less
ime to First Print-out/Copy	6.9 secs or less	6.9 secs or less	6.4 secs or less	6.4 secs or less	6.4 secs or less
Memory	Std. 512 MB, Max 1,53	66 MB			
NPUT PAPER HANDLING					
Multi-purpose Bypass Tray		g/m², A4,A5,A6,B5,B6, Letter, Lego			
Iniversal Tray	250 sheets 60 – 163 g	/m² , A4,A5,A6,B5,Letter, Legal, Cı	ıstom (105 x 148mm - 216 x 3	356mm)	
aper Input Capacity, maximum	850 sheets (with opti-	ons PF-1100 B3415)			
automatic Document Feeder	50 sheets, 50-160 g/r	m², A4 ,A5, B5 ,B6, Letter, Legal	50 sheets , 50-160 g/r	n2, A4 ,A5, A6, B5 ,B6, Lett	er, Legal, Custom (100 x 1
	-		to 216 x 356 mm)		
Oual Scan Document Feeder	N/A	N/A	Dual Scan Document	Feeder	
aper Output Capacity	Max 150 sheets face-	down with paper full detection			
tandard Interfaces		ISB Host Interface, Gigabit Etherne	et (10Base-T/ 100Base-TX/ 10	000Base-T) Slots for SD/SD	HC ontional cards:
tundara miterraces	Wireless (for PLUS m		.t (10Da3c 1/ 100Da3c 1// 10	7000030 17, 31003 101 30730	ric optional caras,
limensions (W x D x H)	Main unit: 417 x 412 x				
		437 111111			
Main Unit Weight	Approx 19 kg	VIII-			
ower Supply	AC 220 ~ 240 V, 50/60				
ower Consumption	Printing: 661W; Stand	iby: 21W; Sleep: 1W			
loise Levels (ISO 7779/ISO 9296)					
rinting	63.2 dB(A) LwAd		64.3 dB(A) LwAd		
tand-by	46 dB(A) LwAd				
leep	Immeasurably low				
afety Standards	GS, TÜV, EC. This pro	duct has been manufactured by a	company operating in confo	rmity with ISO 9001 Quality	y Standards and ISO 1400
•		tives; RoHs compatibility			
EC	1.472 kWh/Week	,	1.661 kWh/Week		1.739 kWh/Week
rinting Speed (A4 simplex/duplex) max.	35 ppm/ 17 ppm 300 dpi, 600 dpi, 1200) dpi	40 ppm / 20 ppm		
resolution					
			e), PDF Direct Print, XPS/Ope	nXPS	
Emulations	PCL 6 (PCL-XL /PCL-5e	e), KPDL 3 (PostScript 3 compatible			
Emulations Operating Systems	PCL 6 (PCL-XL /PCL-5e All current Windows	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Vers	sion 10.5 or later, Unix, Linux		th automatic checksum
Emulations Operating Systems	PCL 6 (PCL-XL /PCL-5e All current Windows 93 scalable fonts PCI	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Vers L6/KPDL3, 8 fonts for Windows Vision	sion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din	nensional barcode types wit	
Emulations Operating Systems Barcode Functions	PCL 6 (PCL-XL /PCL-56 All current Windows 93 scalable fonts PCl generation and suppo	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Vers L6/KPDL3, 8 fonts for Windows Vistort for PDF-417 two-dimensional bo	sion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco	nensional barcode types wit	
Emulations Decrating Systems Barcode Functions Protocols Supported	PCL 6 (PCL-XL /PCL-5e All current Windows 93 scalable fonts PCl generation and support TCP/IP, FTP, LPR, Port	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver- L6/KPDL3, 8 fonts for Windows Vis- tort for PDF-417 two-dimensional ba- 9100, NetBEUI, Apple Bonjour, IPP	sion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL	nensional barcode types wit des available as options PCL	_ barcode Flash 3.0)
Emulations Decrating Systems Barcode Functions Protocols Supported	PCL 6 (PCL-XL /PCL-56 All current Windows 93 scalable fonts PCl generation and suppo	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. £6/KPDL3, 8 fonts for Windows Visi ort for PDF-417 two-dimensional bo 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print, AirPrint®, Wi-Fi,	sion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco	nensional barcode types wit	Divetti Mobile Print, AirPrint®, Wi-Fi,
Protocols Supported Mobile Printing Support	PCL 6 (PCL-XL /PCL-5e All current Windows 93 scalable fonts PCI generation and suppor TCP/IP, FTP, LPR, Port Olivetti Mobile Print,	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver- 6/KPDL3, 8 fonts for Windows Vis- tort for PDF-417 two-dimensional bo 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print,	ion 10.5 or later, Unix, Linux a, 1 Bitmap font, 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print,	nensional barcode types wit des available as options PCL Olivetti Mobile Print,	_ barcode Flash 3.0) Olivetti Mobile Print,
inulations ipperating Systems farcode Functions rotocols Supported flobile Printing Support	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint®	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Visiont for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct	iion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-dir rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
inulations ipperating Systems farcode Functions rotocols Supported Mobile Printing Support	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint®	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. £6/KPDL3, 8 fonts for Windows Visi ort for PDF-417 two-dimensional bo 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print, AirPrint®, Wi-Fi,	ion 10.5 or later, Unix, Linux a, 1 Bitmap font, 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print,	nensional barcode types wit des available as options PCL Olivetti Mobile Print,	Divetti Mobile Print, AirPrint®, Wi-Fi,
inulations Operating Systems Protocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. 6/KPDL3, 8 fonts for Windows Vistort for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct	iion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-dir rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
mulations perating Systems arcode Functions rotocols Supported fobile Printing Support COPY FUNCTIONS opying Speed, maximum flax Original Size eduction/Enlargement	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint®	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. 6/KPDL3, 8 fonts for Windows Vistort for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct	iion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-dir rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
mulations perating Systems arcode Functions rotocols Supported fobile Printing Support COPY FUNCTIONS opying Speed, maximum flax Original Size eduction/Enlargement	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. 6/KPDL3, 8 fonts for Windows Vistort for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPP Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct	iion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-dir rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
inulations ipperating Systems farcode Functions irrotocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size Iceluction/Enlargement Continuous Copying	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Visiont for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm	iion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-dir rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
Emulations Departing Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size Reduction/Enlargement Continuous Copying Coom	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarce 1-999 25 - 400 % with steps	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Visiont for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
Emulations Departing Systems Departing Systems Departing Supported Departing Support COPY FUNCTIONS Departing Speed, maximum Departing Speed, max	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver- 6.6/KPDL3, 8 fonts for Windows Vis- 1.6/KPDL3, 8 fonts for Windows Vis- 1.6/KPDL3, 8 fonts for Windows Vis- 1.6/KPDL3, 8 fonts for Windows Vis- 1.6/KPDL4, 8 for Windows Vis- 1.6/KPDL4, 4 for Windows Vis- 1.6	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint®	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct
mulations perating Systems arcode Functions rotocols Supported fobile Printing Support COPY FUNCTIONS opying Speed, maximum flax Original Size eduction/Enlargement ontinuous Copying oom xposure Mode nage Adjustment	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1%	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-dir crodes (PCL and other barco. IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
imulations ipperating Systems farcode Functions irrotocols Supported dobile Printing Support COPY FUNCTIONS copying Speed, maximum dax Original Size leduction/Enlargement continuous Copying coom xposure Mode mage Adjustment	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement gement to go f1%	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-dir crodes (PCL and other barco. IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
Emulations Departing Systems Barcode Functions Protocols Supported Abbile Printing Support COPY FUNCTIONS Doying Speed, maximum Aax Original Size Reduction/Enlargement Continuous Copying Coom Exposure Mode Mage Adjustment	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement gement to go f1%	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-dir crodes (PCL and other barco. IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
Emulations Departing Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Depart Speed, maximum Max Original Size Reduction/Enlargement Continuous Copying Depart Support Comparison of the Continuous Copying Department Support	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement gement to go f1%	iion 10.5 or later, Unix, Linux, a, 1 Bitmap font, 45 one-dir crodes (PCL and other barco. IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm	nensional barcode types wit des available as options PCL Olivetti Mobile Print, AirPrint®	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
Emulations Derating Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size Reduction/Enlargement Continuous Copying Coom Exposure Mode Emage Adjustment Other Features COAN FUNCTIONS	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap ss, electronic collation, 2in1, 4in1, 1	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm D Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
Emulations Departing Systems Barcode Functions Protocols Supported Abbile Printing Support COPY FUNCTIONS Doying Speed, maximum Aax Original Size Reduction/Enlargement Continuous Copying Coom Exposure Mode Image Adjustment Other Features CCAN FUNCTIONS Functionality	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Visiont for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap is, electronic collation, 2in1, 4in1, I ty control	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm D Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
Emulations Departing Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Depart Speed, maximum Max Original Size Reduction/Enlargement Continuous Copying Depart Supported Department Depa	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppt TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densir	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap us, electronic collation, 2in1, 4in1, 1 ty control y), Scan-to-FTP (FTP over SSL), Scaipm (A4 Colour)	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm O Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
inulations ipperating Systems iarcode Functions iarcode Functions irotocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size teduction/Enlargement continuous Copying Coom Exposure Mode Image Adjustment Either Features CCAN FUNCTIONS Functionality Incanning Speed Simplex Incanning Speed Simplex Incanning Speed Duplex	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Visiont for PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap is, electronic collation, 2in1, 4in1, I ty control	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm D Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
imulations Derating Systems Garcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Copying Speed, maximum Max Original Size Leduction/Enlargement Continuous Copying Coom Commission Commi	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCI generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlard 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A Max. 600 dpi	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. Lo(KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap is, electronic collation, 2in1, 4in1, I ty control y), Scan-to-FTP (FTP over SSL), Scaipm (A4 Colour) N/A	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm O Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
mulations perating Systems arcode Functions Protocols Supported	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCI generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlard 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A Max. 600 dpi	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap us, electronic collation, 2in1, 4in1, 1 ty control y), Scan-to-FTP (FTP over SSL), Scaipm (A4 Colour)	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm O Card copying, job booking,	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
imulations Sperating Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Lopying Speed, maximum Max Original Size Leduction/Enlargement Continuous Copying Loom	PCL 6 (PCL-XL /PCL-5c All current Windows 93 scalable fonts PCl generation and suppc TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Text+Photo; Photo; M One scan multi-copie selection, copy densi Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A Max. 600 dpi A4 , Legal (with Auto	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. Lo(KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap is, electronic collation, 2in1, 4in1, I ty control y), Scan-to-FTP (FTP over SSL), Scaipm (A4 Colour) N/A	ion 10.5 or later, Unix, Linux a, 1 Bitmap font, 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm O Card copying, job booking, n-to-SMBv3, Scan-to-USB Ho	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
imulations Derating Systems Barcode Functions Protocols Supported Mobile Printing Support COPY FUNCTIONS Depring Speed, maximum Max Original Size Reduction/Enlargement Continuous Copying Doom Exposure Mode Image Adjustment Other Features COAN FUNCTIONS Functionality Coanning Speed Simplex Coanning Speed Simplex Coanning Resolution Max Scan Size	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppt TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Manual 9 steps Manual 9 steps Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A Max. 600 dpi A4 , Legal (with Auto Text + Photo, Photo, Photo, Pho	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LofKPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement so of 1% lap se, electronic collation, 2in1, 4in1, I ty control ipm (A4 Colour) N/A matic Document Feeder) Text, Light Text, Fine line, Text (for	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm D Card copying, job booking, n-to-SMBv3, Scan-to-USB Ho 32 ipm (A4 Mono), 16 i	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm
imulations ipperating Systems iarcode Functions copy FUNCTIONS copying Speed, maximum dax Original Size iarculation/Enlargement continuous Copying com ixposure Mode mage Adjustment other Features CCAN FUNCTIONS unctionality iarcuning Speed Simplex icanning Speed Duplex canning Speed Duplex canning Resolution dax Scan Size irriginal Recognition	PCL 6 (PCL-XL/PCL-5c All current Windows 93 scalable fonts PCl generation and suppt TCP/IP, FTP, LPR, Port Olivetti Mobile Print, AirPrint® Up to 35 ppm A4 /Legal 7 Reduction / 5 Enlarg 1-999 25 - 400 % with steps Manual 9 steps Manual 9 steps Manual 9 steps Scan-to-email (SMTP network) 40 ipm (A4 Mono), 23 N/A Max. 600 dpi A4 , Legal (with Auto Text + Photo, Photo, Photo, Pho	e), KPDL 3 (PostScript 3 compatible operating systems, MAC OS X Ver. LG/KPDL3, 8 fonts for Windows Vision to PDF-417 two-dimensional be 9100, NetBEUI, Apple Bonjour, IPF Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 35 ppm gement s of 1% lap lap ls, electronic collation, 2in1, 4in1, I ty control ipm (A4 Colour) N/A matic Document Feeder)	ion 10.5 or later, Unix, Linux a, 1 Bitmap font , 45 one-din rcodes (PCL and other barco IPP over SSL Olivetti Mobile Print, AirPrint® Up to 40 ppm D Card copying, job booking, n-to-SMBv3, Scan-to-USB Ho 32 ipm (A4 Mono), 16 i	nensional barcode types wit des available as options PCI Olivetti Mobile Print, AirPrint® Up to 40 ppm program, continuous scan	_ barcode Flash 3.0) Olivetti Mobile Print, AirPrint®, Wi-Fi, Wi-Fi Direct Up to 40 ppm

Max Original Size A400 dpi, Ultr A4, Legal Compression Method JBIG, MMR, 1 Address Book 200 entries Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit 400 dpi, Ultr A4, Legal 200 entries Network fax transmission Toner Cartrid Initial Toner Up to 100,000	s Less 00 dpi, Fine 200 x 200 dpi, Superfine 200 x fine 400 x 400 dpi R, MH	N/A N/A N/A N/A	ITU-T Super G3 Max. 33.6 kbps Under 3 secs 2 secs/page or less Normal 200 x 100 dpi, 200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH 200 entries	Fine 200 x 200 dpi, Superfine ne 400 x 400 dpi
Modem Speed Max. 33.6 kb Transmission Speed Under 3 secs Scanning Speed Fax Resolution Normal 2000 400 dpi, Ultr Max Original Size A4, Legal Compression Method JBIG, MMR, 1 Address Book 200 entries Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Up to 100,000	s Less 00 dpi, Fine 200 x 200 dpi, Superfine 200 x fine 400 x 400 dpi R, MH	N/A N/A N/A N/A N/A N/A N/A	Max. 33.6 kbps Under 3 secs 2 secs/page or less Normal 200 x 100 dpi, 200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH	
Transmission Speed Under 3 secs Scanning Speed 2 secs/page Fax Resolution Normal 2000 400 dpi, Ultr Max Original Size A4, Legal Compression Method JBIG, MMR, I Address Book 200 entries Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Up to 100,000	r less 00 dpi, Fine 200 x 200 dpi, Superfine 200 x fine 400 x 400 dpi R, MH	N/A N/A X N/A N/A N/A N/A	Under 3 secs 2 secs/page or less Normal 200 x 100 dpi, 200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH	
Scanning Speed 2 secs/page Fax Resolution Normal 2000 400 dpi, Ultr Max Original Size A4, Legal Compression Method JBIG, MMR, 1 Address Book 200 entries Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Toner Cartrid Initial Toner Maintenance Kit Up to 100,000	00 dpi, Fine 200 x 200 dpi, Superfine 200 x fine 400 x 400 dpi R, MH	N/A N/A N/A N/A N/A N/A N/A	2 secs/page or less Normal 200 x 100 dpi, 200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH	
Fax Resolution Normal 2000 400 dpi, Ultr Max Original Size Compression Method Address Book Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Normal 2000 400 dpi 400 dpi 401 44, Legal JBIG, MMR, I Address Book Toner Cartrid Initial Toner Up to 100,000	00 dpi, Fine 200 x 200 dpi, Superfine 200 x fine 400 x 400 dpi R, MH	N/A N/A N/A N/A	Normal 200 x 100 dpi, 200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH	
Max Original Size Compression Method Address Book Other Features CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Maintenance Kit 400 dpi, Ultr A4, Legal JBIG, MMR, 1 A2, Legal JBIG, MMR, 1 A2, Legal Toner cartrid Initial Toner Up to 100,000	fine 400 x 400 dpi	N/A N/A N/A N/A	200 x 400 dpi, Ultrafin A4, Legal JBIG, MMR, MR, MH	
Max Original Size Compression Method Address Book Other Features CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit A4, Legal JBIG, MMR, I Network fax transmission Toner Cartrid Initial Toner Up to 100,00	R, MH	N/A N/A N/A	A4, Legal JBIG, MMR, MR, MH	ne 400 x 400 dpi
Compression Method Address Book 200 entries Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Toner Cartrid Initial Toner Maintenance Kit Up to 100,00	•	N/A N/A	JBIG, MMR, MR, MH	
Address Book Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Dy to 100,000	•	N/A		
Other Features Network fax transmission CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Network fax transmission Toner Cartrid Initial Toner Up to 100,000			200 optrios	
CONSUMABLES Toner (capacities according to ISO 19752) Maintenance Kit Toner Cartrid Initial Toner Up to 100,000			200 entitles	
CONSUMABLES Toner (capacities according to ISO 19752) Toner Cartrid Initial Toner Maintenance Kit Up to 100,00	g, duplex transmission and reception,	N/A	Network faxing, duple	x transmission and reception
Toner (capacities according to ISO 19752) Toner Cartrid Initial Toner Maintenance Kit Up to 100,00	and reception polling		transmission and rece	eption polling
Maintenance Kit Up to 100,00				
, ,	e (B1233). Toner capacity up to 3,000 A4 pagacity up to 1,000 A4 pages	ges; Toner Cartridge: (B12) Initial Toner capacity	34). Toner capacity up to 7,2 up to 3,600 A4 pages	00 A4 pages;
	(B1236)			
OPTIONS				
C	2 trave) 250 chapte 60 162 g/m² A/. A5	E A6 Latter Legal Custom	(10E v 1/2mm 216 v 2E6m)	m) (B3/1E)
Memory Expansion MD3-1024: 1,	x. 2 trays) 250 sheets 60 – 163 g/m² , A4, A5	o, Ao, Letter, Legal, Custom	(103 x 140111111 - 210 x 330111	III) (D3413)
PCL Barcode Flash 3.0 Extends prin	ocol support module (B8403) of authentication supported (B8237)			

Performance relates to use of the product under optimal conditions. Right reserved to modify technical specifications. Registered trademarks are the property of their respective owners.

d-Copia 3524MF, d Copia 3524MF^{Plus}, d-Copia 4023MF, d-Copia 4024MF and d-Copia 4024MF^{Plus} are distributed by Olivetti S.p.A. (03/2017) - Code: 49566-00-w







