



> PRINT > COPY > SCAN

FS-1020MFP

MONOCHROME
MULTIFUNCTIONAL FOR
A4 FORMAT

FUNCTIONAL AND AFFORDABLE FOR HOME AND SMALL OFFICES.



This attractively priced multifunctional is the right choice for demanding desktop users and small offices, packing print, copy and scan-functionality into a very compact design. It will print 20 ppm in B/W and scan with up to 21 ipm in both B/W and colour. KYOCERA's long life technology and toner yields of 2500 pages, reduce costs and ask less of our environment.

- > Up to 20 pages per minute in A4
- > Print, copy, scan functionality as standard
- > Very compact size and small footprint
- > Highly reliable thanks to long-life components
- > Highest toner yield in its class
- > Exceptionally low printing costs



ECOSYS stands for ECOlogy, ECONomy and SYStem-printing. With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. KYOCERA's long-life components cost you and the environment less.

GENERAL

Technology:

KYOCERA ECOSYS Laser

Control panel display:

2 digit LED

Engine speed:

Up to 20 pages A4 per minute

Resolution:

1,200 dpi quality (1,800 x 600 dpi, print),
600 x 600 dpi (scan/copy)

Duty cycle:

Max. 20,000 pages per month

Warm-up time:

Approx. 20 seconds or less

Time to first print:

Approx. 8.5 seconds or less

Time to first copy:

Approx. 12 seconds

CPU:

ARM 390 MHz

Memory:

Standard 64 MB

Standard interface:

USB 2.0 (Hi-speed)

Dimensions (W x D x H):

390 x 333 x 317 mm

Weight:

Approx. 8.7 kg

Power source:

AC 220 ~ 240 V, 50/60 Hz

Power consumption:

Copying/Printing: 315 W / 316 W

Ready-mode: 6 W

Sleep-mode: 3 W

Noise (sound pressure level ISO 7779 / ISO 9296):

Copying/Printing: Quiet mode 49 dB(A)

Copying/Printing: Normal mode 50 dB(A)

Stand-by (ready-mode): 28 dB(A)

Safety standards:

CE

PAPER HANDLING

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity:

250-sheet universal cassette; 60 – 220 g/m²; A4, A5, A6, B5, Letter, Legal, Custom (70 x 148 – 216 x 356 mm)

Platen glass:

Up to 216 x 356 mm

Output capacity:

100 sheets face-down

PRINT FUNCTIONS

Emulations:

Host-Based

Operating systems:

Windows XP/Vista/7/8/Server 2003/Server 2008/
Server 2008 R2

Features:

Print Box

COPY FUNCTIONS

Max. original size:

A4 / legal

Continuous copying:

1–99

Zoom range:

25–400 % in 1% steps

Preset magnification ratios:

4 reductions / 4 enlargements

Image adjustments:

Text + photo, text, photo

Features:

Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, program, copy density control

COLOUR SCAN FUNCTIONS

Functionality:

TWAIN (USB), WIA scan

Scan speed:

18 ipm (300 dpi, A4, b/w), 6 ipm (300 dpi, A4, colour)

Scan resolution:

600, 400, 300, 200 dpi (256 greyscales per colour)

Max. scan size:

A4, legal

File types:

BMP, TIFF, JPG, PDF, PNG

Compression method:

MMR

Features:

Colour scan, scan program feature

CONSUMABLES

Average continuous toner yield in accordance with ISO/IEC 19752

TK-1110:


Toner black for up to 2,500 pages A4

Starter toner:

Black toner yield 700 pages A4

WARRANTY

1-year warranty as standard. Provided each device is used and cleaned in accordance with the service instructions.**



KYOCERA Document Solutions Europe B.V. – Branch Office Germany
Otto-Hahn-Straße 12 – 40670 Meerbusch – Germany
Tel +49 (0) 2159 928-500 – Fax +49 (0) 2159 918-100
www.kyoceradocumentsolutions.eu – info@deu.kyocera.com

KYOCERA Document Solutions Inc. – 2-28, 1-Chome – Tamatsukuri
Chuo-Ku – Osaka 540-8585 – Japan – www.kyoceradocumentsolutions.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country